

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	348	360/324.12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/17 09:28
S2	0	360/324.11.ccls "."	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 13:04
S3	287	360/324.11.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/17 09:28
S4	350	"360"/\$.ccls. and (("longitudinal biasing" or "longitudinal bias") same (ferromagnetic or antiferromagnetic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/03/17 09:28
S5	268	360/324.12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 09:50
S6	248	360/324.11.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 14:40
S7	185	360/324.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 14:40
S8	212	360/324.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 14:40
S9	268	360/324.12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 17:56
S10	178	360/324.12.ccls. and "free layer"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 18:35
S11	5	("5862021"   "5920446"   "6134090"   "6208491"   "6266218").PN.	USPAT	OR	ON	2003/09/30 18:15

S12	7	("5465185"   "5508867"   "5705973"   "5828529"   "5892641"   "5974657"   "6351355"   "2002/0006021").PN.	USPAT	OR	ON	2003/09/30 18:22
S13	64	360/327.32.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 18:46
S14	294	"360"/\$.ccls. and (("longitudinal biasing" or "longitudinal bias") same (ferromagnetic or antiferromagnetic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 09:51
S15	164	"360"/\$.ccls. and (("longitudinal biasing" or "longitudinal bias") same (ferromagnetic and antiferromagnetic))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 18:59
S16	164	"360"/\$.ccls. and (("longitudinal biasing" or "longitudinal bias") same ("ferromagnetic" and "antiferromagnetic"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:49
S17	12	("5608593"   "5627704"   "5717550"   "5764567"   "5828527"   "5841692"   "5919580"   "5936293"   "5949622"   "6153319"   "6275362"   "6466418").PN.	USPAT	OR	ON	2003/09/30 19:12
S18	26	("4103315"   "4809109"   "4947541"   "5153513"   "5195004"   "5206590"   "5287238"   "5315468"   "5373238"   "5500633"   "5508867"   "5528440"   "5549978"   "5552949"   "5574605"   "5583725"   "5648884"   "5654854"   "5691864"   "5739987"   "5742458"   "5756191"   "5764056"   "5772794"   "5784225"   "5843589").PN.	USPAT	OR	ON	2003/09/30 19:20
S19	7	("5302461"   "5465185"   "5528440"   "5729410"   "5729411"   "6118624"   "6172859").PN.	USPAT	OR	ON	2003/09/30 19:34
S20	2	("5920446"   "6038107").PN.	USPAT	OR	ON	2003/09/30 19:37
S21	63	"360"/\$.ccls. and (((("longitudinal biasing" or "longitudinal bias") same ("ferromagnetic" and "antiferromagnetic")) same "free layer")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 21:35
S22	2	("6178074"   "6185079").PN.	USPAT	OR	ON	2003/09/30 20:14
S23	2	"6295186".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 20:34

S24	6	"6295186".pn. or "6324037".pn. or "6222707".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 20:37
S25	2	"5436778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 20:37
S26	4	"5436778".pn. or "5729410".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 20:37
S27	30	"360"/\$.ccls. and (((("longitudinal biasing" or "longitudinal bias") same ("ferromagnetic" and "antiferromagnetic")) same "free layer") and "tunnel")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 21:36
S28	706	((longitudinal near2 bias\$3) same free)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 14:41
S29	453	S28 and "360"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 09:51
S30	374	S28 and 360/324\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 09:51
S31	472	"360"/\$.ccls. and (("longitudinal biasing" or "longitudinal bias") same (ferromagnetic or antiferromagnetic)).	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 13:06
S32	11	("5637235"   "6185078"   "6208491"   "6266218"   "6275362"   "6308400"   "6310751"   "6338899"   "6385017"   "6636396"   "6650512").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 10:46
S33	12	("20020034055"   "20020097540"   "20020131218"   "20020181173"   "20030035256"   "20030156361"   "20030179517"   "6266218"   "6501627"   "6538860"   "6633466"   "6671139").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 10:55
S34	17	("20020054463"   "5390061"   "5648885"   "5793207"   "5793279"   "5828531"   "5828598"   "5869963"   "5880913"   "5898612"   "5955211"   "5968676"   "5993566"   "6108177"   "6178074"   "6275363"   "6452761").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 11:02

S35	9	("5390061"   "5629922"   "5636093"   "5650958"   "5654566"   "5708358"   "5828598"   "5986858"   "6022633").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 11:11
S36	9	("5159513"   "5206590"   "5528440"   "5729410"   "5966012"   "5966272"   "6175477"   "6178072"   "6185078").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 11:30
S37	2	("6542341").URPN.	USPAT	OR	OFF	2005/05/26 11:32
S38	31	("4103315"   "4809109"   "4947541"   "5153513"   "5159513"   "5195004"   "5206590"   "5287238"   "5315468"   "5373238"   "5380548"   "5436778"   "5500633"   "5508867"   "5528440"   "5549978"   "5552949"   "5563752"   "5574605"   "5583725"   "5608593"   "5648884"   "5654854"   "5691864"   "5708358"   "5742458"   "5756191"   "5768067"   "5772794"   "5784225"   "5843589").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 12:37
S39	32	360/327.3.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 12:37
S40	34	("6266218").URPN.	USPAT	OR	OFF	2005/05/26 12:54
S41	7	("5302461"   "5465185"   "5528440"   "5729410"   "5729411"   "6118624"   "6172859").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 12:59
S42	517	360/324.12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 13:04
S43	1018	"360"/\$.ccls. and (("longitudinal biasing" or "longitudinal bias") same ((ferromagnetic and antiferromagnetic) same free))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 13:07
S44	166	"360"/\$.ccls. and ((longitudinal near3 bias\$3) same ((ferromagnetic and antiferromagnetic) same free))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 13:07
S45	7	("5302461"   "5465185"   "5528440"   "5729410"   "5729411"   "6118624"   "6172859").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 13:26
S46	2	("5920446"   "6038107").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 13:39
S47	2	("6266218").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/26 13:39
S48	34	("6266218").URPN.	USPAT	OR	OFF	2005/05/26 13:39

S49	1	((longitudinal near2 bias\$3) same free) and (in near2 stack) and Klimowicz.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 14:18
S50	6	("5701223"   "5883764"   "5896252"   "5919580"   "6268985"   "6348274").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 14:15
S51	0	((longitudinal near2 bias\$3) same free) and (in near2 stack) and Klimowicz.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 14:18
S52	0	((longitudinal near2 bias\$3) same free) and (in near2 stack) and Evans.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 14:18
S53	1	((longitudinal near2 bias\$3) same free) and (in near2 stack) and Evans.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 14:18
S54	405	360/324.11.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 14:40
S55	344	360/324.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 14:40
S56	386	360/324.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 14:40
S57	706	((longitudinal near2 bias\$3) same free)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 14:41
S58	98	S57 and "29"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 14:45
S59	52	S57 and "428"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/26 14:45


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "( longitudinal bias&lt;in&gt;metadata )"

Your search matched 26 of 1164322 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

## Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

- | Select                   | Article Information   |
|--------------------------|---|
| <input type="checkbox"/> | <b>1. Unshielded MR elements with patterned exchange-biasing</b><br>Tsang, C.;<br>Magnetics, IEEE Transactions on<br>Volume 25, Issue 5, Sep 1989 Page(s):3692 - 3694<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(292 KB)</a> IEEE JNL   |
| <input type="checkbox"/> | <b>2. Submicron trackwidth and stripe height MR sensor test structures</b><br>Fontana, R.E., Jr.; MacDonald, S.A.; Ching Tsang; Tsann Lin;<br>Magnetics, IEEE Transactions on<br>Volume 32, Issue 5, Sept. 1996 Page(s):3440 - 3442<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(788 KB)</a> IEEE JNL   |
| <input type="checkbox"/> | <b>3. Modeling and measurement of hard-magnet biasing strengths on MR-SAL struct</b><br>Yuan, S.W.; Liao, S.H.; Kobayashi, T.;<br>Magnetics, IEEE Transactions on<br>Volume 30, Issue 6, Nov 1994 Page(s):4257 - 4259<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(236 KB)</a> IEEE JNL   |
| <input type="checkbox"/> | <b>4. Side-shielded tunneling magnetoresistive read head for high-density recording</b><br>Haginoya, C.; Hatatani, M.; Meguro, K.; Ishikawa, C.; Yoshida, N.; Kusakawa, K.; Wate<br>Magnetics, IEEE Transactions on<br>Volume 40, Issue 4, July 2004 Page(s):2221 - 2223<br><a href="#">AbstractPlus</a>   <a href="#">References</a>   Full Text: <a href="#">PDF(160 KB)</a> IEEE JNL |
| <input type="checkbox"/> | <b>5. A tunneling magnetoresistance sensor overlaid with a longitudinal bias stack in :</b><br>Tsann Lin; Mauri, D.; Ty Chen; Wolfman, J.;<br>Magnetics Conference, 2002. INTERMAG Europe 2002. Digest of Technical Papers. 2<br>International<br>28 April-2 May 2002 Page(s):CA5<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(230 KB)</a> IEEE CNF                     |
| <input type="checkbox"/> | <b>6. Spin-valves with a hard/Ru/soft synthetic longitudinal bias</b><br>Zheng, Y.; Yihong Wu;<br>Magnetics Conference, 2003. INTERMAG 2003. IEEE International<br>28 March-3 April 2003 Page(s):DD - 06<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(182 KB)</a> IEEE CNF  |

- ☐ 7. **Vertical giant magnetoresistive read heads for 50-Gb/in/sup 2/ magnetic recordin**  
Everitt, B.A.; Olson, D.; van Nguyen, T.; Amin, N.; Pokhil, T.; Kolbo, P.; Zhong, L.; Mun A.V.; Daughton, J.M.;  
Magnetics, IEEE Transactions on  
Volume 41, Issue 1, Jan. 2005 Page(s):125 - 131  
[AbstractPlus](#) | Full Text: [PDF\(688 KB\)](#) IEEE JNL
- ☐ 8. **Characterization of exchange coupling at NiFe-CoPt interface**  
Pei Zou; Ryan, P.J.; Zhijun Yang; Kryder, M.H.;  
Magnetics, IEEE Transactions on  
Volume 32, Issue 5, Sept. 1996 Page(s):3428 - 3430  
[AbstractPlus](#) | Full Text: [PDF\(232 KB\)](#) IEEE JNL
- ☐ 9. **Spin-valve sensors with domain control hard magnet layers**  
Kanai, H.; Kane, J.; Aoshima, K.; Kanamine, M.; Uehara, Y.;  
Magnetics, IEEE Transactions on  
Volume 31, Issue 6, Nov. 1995 Page(s):2612 - 2614  
[AbstractPlus](#) | Full Text: [PDF\(464 KB\)](#) IEEE JNL
- ☐ 10. **Stability and biasing characteristics of a permanent magnet biased SAL/MR devi**  
Liao, S.H.; Torng, T.; Kobayashi, T.;  
Magnetics, IEEE Transactions on  
Volume 30, Issue 6, Nov 1994 Page(s):3855 - 3857  
[AbstractPlus](#) | Full Text: [PDF\(196 KB\)](#) IEEE JNL
- ☐ 11. **A new technique of noise reduction for large aspect magnetoresistors**  
Flynn, D.I.;  
Magnetics, IEEE Transactions on  
Volume 30, Issue 3, May 1994 Page(s):1263 - 1266  
[AbstractPlus](#) | Full Text: [PDF\(276 KB\)](#) IEEE JNL
- ☐ 12. **Microtrack profiling technique for narrow track tape heads**  
Dovek, M.M.; Spong, J.K.; Eaton, J.H.; Thompson, D.A.;  
Magnetics, IEEE Transactions on  
Volume 28, Issue 5, Sep 1992 Page(s):2304 - 2306  
[AbstractPlus](#) | Full Text: [PDF\(192 KB\)](#) IEEE JNL
- ☐ 13. **Spin transfer induced noise in CPP read heads**  
Jian-Gang Zhu; Xiaochun Zhu;  
Magnetics, IEEE Transactions on  
Volume 40, Issue 1, Jan. 2004 Page(s):182 - 188  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(464 KB\)](#) IEEE JNL
- ☐ 14. **Fabrication and characterization of contiguous permanent magnet junctions**  
Min Xiao; Devasahayam, A.J.; Kryder, M.H.;  
Magnetics, IEEE Transactions on  
Volume 34, Issue 4, July 1998 Page(s):1495 - 1497  
[AbstractPlus](#) | Full Text: [PDF\(480 KB\)](#) IEEE JNL
- ☐ 15. **Discussions on suitable modulation schemes for a bi-directional hot electron lig**  
**absorber**  
Wah, J.-Y.; Yenidunva, R.; Boland-Thoms, A.; Demirer, R.M.; Balkan, N.;  
Optoelectronics, IEE Proceedings-  
Volume 149, Issue 56, Oct.-Dec. 2002 Page(s):197 - 200  
[AbstractPlus](#) | Full Text: [PDF\(324 KB\)](#) IEE JNL

- ☐ **16. Flux-guide type tunnel-valve head for helical scan tape system**  
Nakashio, E.; Sugawara, J.; Onoe, S.; Kumagai, S.;  
Magnetics Conference, 2002. INTERMAG Europe 2002. Digest of Technical Papers. 2  
International  
28 April-2 May 2002 Page(s):AP17  
[AbstractPlus](#) | Full Text: [PDF\(229 KB\)](#) IEEE CNF
  
- ☐ **17. Micromagnetic analysis of permanent magnet biased narrow track spin-valve head**  
Danzhu Lu; Jian-Gang Zhu;  
Magnetics, IEEE Transactions on  
Volume 31, Issue 6, Nov. 1995 Page(s):2615 - 2617  
[AbstractPlus](#) | Full Text: [PDF\(272 KB\)](#) IEEE JNL
  
- ☐ **18. Electrical characteristics of a 500 Mb/in<sup>2</sup> slanted contact MR head**  
Fernandez-de-Castro, J.J.; George, P.K.; Machelski, R.J.;  
Magnetics, IEEE Transactions on  
Volume 30, Issue 6, Nov 1994 Page(s):3846 - 3848  
[AbstractPlus](#) | Full Text: [PDF\(288 KB\)](#) IEEE JNL
  
- ☐ **19. Allicat magnetoresistive head design and performance**  
Hannon, D.; Krounbi, M.; Christner, J.;  
Magnetics, IEEE Transactions on  
Volume 30, Issue 2, Mar 1994 Page(s):298 - 302  
[AbstractPlus](#) | Full Text: [PDF\(268 KB\)](#) IEEE JNL
  
- ☐ **20. Stability in in-stack biased CPP SV heads**  
Youfeng Zheng; Jochan Ju; Jeiwei Chang; Hu, B.;  
Magnetics, IEEE Transactions on  
Volume 40, Issue 4, July 2004 Page(s):2224 - 2226  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(192 KB\)](#) IEEE JNL
  
- ☐ **21. Magnetic domain instability in MR heads due to overlaid structure of permanent**  
Mitsumata, C.; Kikuchi, K.; Kobayashi, T.;  
Magnetics, IEEE Transactions on  
Volume 34, Issue 4, July 1998 Page(s):1453 - 1455  
[AbstractPlus](#) | Full Text: [PDF\(316 KB\)](#) IEEE JNL
  
- ☐ **22. Multi-tapped magnetoresistive heads for magnetic tape tracking servo**  
Steele, J.H., II; Messner, W.C.; Bain, J.A.; Schwarz, T.A.; O'Kane, W.J.; Connolly, M.P.  
Magnetics, IEEE Transactions on  
Volume 34, Issue 4, July 1998 Page(s):1904 - 1906  
[AbstractPlus](#) | Full Text: [PDF\(348 KB\)](#) IEEE JNL
  
- ☐ **23. A high temperature stable spin valve sensor head for high density applications**  
Tong, H.C.; Lederman, M.; Jensen, W.; Tan, M.; Ravipati, D.; Yuan, S.; Thayamballi, P  
Huang, B.; Zhao, M.; Rana, P.; Chen, W.; Miloslavsky, L.; O'Kane, D.; Rottmayer, R.; [et al.]  
Magnetics, IEEE Transactions on  
Volume 33, Issue 5, Sept. 1997 Page(s):2884 - 2886  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(428 KB\)](#) IEEE JNL
  
- ☐ **24. Fabrication and wafer testing of barber-pole and exchange-biased narrow-track head**  
Tsang, C.; Fontana, R., Jr.;  
Magnetics, IEEE Transactions on  
Volume 18, Issue 6, Nov 1982 Page(s):1149 - 1151  
[AbstractPlus](#) | Full Text: [PDF\(432 KB\)](#) IEEE JNL



- ☐ **25. A High-Power Coaxial Ferrite Phase Shifter (Correspondence)**  
Boxer, A.S.; Hershenov, S.; Landry, E.F.;  
Microwave Theory and Techniques, IEEE Transactions on  
Volume 9, Issue 6, Nov 1961 Page(s):577 - 577  
[AbstractPlus](#) | Full Text: [PDF\(184 KB\)](#) IEEE JNL
- [REDACTED]

Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2005 IEEE –


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "( longitudinal&lt;in&gt;metadata ) &lt;and&gt; ( bias&lt;in&gt;metadata )"

Your search matched 159 of 1164322 documents.

☒ e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)

Modify Search

[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

View: 1-25 | [26-51](#)

- |                          |  |
|--------------------------|--|
| <input type="checkbox"/> | <b>1. Modeling and measurement of hard-magnet biasing strengths on MR-SAL structures</b><br>Yuan, S.W.; Liao, S.H.; Kobayashi, T.;<br>Magnetics, IEEE Transactions on<br>Volume 30, Issue 6, Nov 1994 Page(s):4257 - 4259<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF</a> (236 KB) IEEE JNL   |
| <input type="checkbox"/> | <b>2. Unshielded MR elements with patterned exchange-biasing</b><br>Tsang, C.;<br>Magnetics, IEEE Transactions on<br>Volume 25, Issue 5, Sep 1989 Page(s):3692 - 3694<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF</a> (292 KB) IEEE JNL   |
| <input type="checkbox"/> | <b>3. Microstrip open-end discontinuity on a nonreciprocal ferrite substrate</b><br>Hung-Yu Yang;<br>Microwave Theory and Techniques, IEEE Transactions on<br>Volume 42, Issue 12, Dec 1994 Page(s):2423 - 2428<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF</a> (540 KB) IEEE JNL   |
| <input type="checkbox"/> | <b>4. A new technique of noise reduction for large aspect magnetoresistors</b><br>Flynn, D.I.;<br>Magnetics, IEEE Transactions on<br>Volume 30, Issue 3, May 1994 Page(s):1263 - 1266<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF</a> (276 KB) IEEE JNL   |
| <input type="checkbox"/> | <b>5. Stress dependence of sound velocity in Fe-based amorphous wires</b><br>Chiriac, H.; Hristoforou, E.; Neagu, M.; Vazquez, M.; Hison, C.;<br>Magnetics, IEEE Transactions on<br>Volume 36, Issue 5, Sept 2000 Page(s):3436 - 3438<br><a href="#">AbstractPlus</a>   <a href="#">References</a>   Full Text: <a href="#">PDF</a> (52 KB) IEEE JNL |
| <input type="checkbox"/> | <b>6. Microstrip open-end discontinuity on a nonreciprocal ferrite substrate</b><br>Hung-Yu Yang;<br>Microwave Symposium Digest, 1994., IEEE MTT-S International<br>23-27 May 1994 Page(s):599 - 602 vol.2<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF</a> (412 KB) IEEE CNF  |

- ☐ 7. **Submicron trackwidth and stripe height MR sensor test structures**  
Fontana, R.E., Jr.; MacDonald, S.A.; Ching Tsang; Tsann Lin;  
Magnetics, IEEE Transactions on  
Volume 32, Issue 5, Sept. 1996 Page(s):3440 - 3442  
[AbstractPlus](#) | Full Text: [PDF\(788 KB\)](#) IEEE JNL
- ☐ 8. **Comparative experimental study of exchange biased symmetric and antisymmetric magnetoresistive read elements**  
Trindade, I.G.; Kryder, M.H.;  
Magnetics, IEEE Transactions on  
Volume 30, Issue 6, Nov 1994 Page(s):3852 - 3854  
[AbstractPlus](#) | Full Text: [PDF\(292 KB\)](#) IEEE JNL
- ☐ 9. **Magnetoresistive sensors with rapidly solidified Permalloy fibers**  
Ciureanu, P.; Rudkowska, G.; Rudkowska, P.; Strom-Olsen, J.O.;  
Magnetics, IEEE Transactions on  
Volume 29, Issue 5, Sept. 1993 Page(s):2251 - 2257  
[AbstractPlus](#) | Full Text: [PDF\(656 KB\)](#) IEEE JNL
- ☐ 10. **Transversal and longitudinal noise and their coherence in MOST**  
Li, X.; Vandamme, L.K.J.;  
Electron Devices, IEEE Transactions on  
Volume 40, Issue 4, April 1993 Page(s):804 - 810  
[AbstractPlus](#) | Full Text: [PDF\(600 KB\)](#) IEEE JNL
- ☐ 11. **Interaction between magnetoresistor and magnetotransistor in the longitudinal and vertical Hall devices**  
Guo-Ming Sung;  
Sensors Journal, IEEE  
Volume 4, Issue 6, Dec. 2004 Page(s):749 - 758  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1824 KB\)](#) IEEE JNL
- ☐ 12. **Side-shielded tunneling magnetoresistive read head for high-density recording**  
Haginoya, C.; Hatahara, M.; Meguro, K.; Ishikawa, C.; Yoshida, N.; Kusakawa, K.; Watanabe;  
Magnetics, IEEE Transactions on  
Volume 40, Issue 4, July 2004 Page(s):2221 - 2223  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(160 KB\)](#) IEEE JNL
- ☐ 13. **RF-bias effect on structural and magnetic properties in CoCrPt/Cr<sub>75</sub>Ti<sub>25</sub>/CoTi trilayer longitudinal recording media**  
Hong, S.Y.; Shin, K.H.; Lee, T.D.;  
Magnetics, IEEE Transactions on  
Volume 35, Issue 5, Sept. 1999 Page(s):2664 - 2666  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(228 KB\)](#) IEEE JNL
- ☐ 14. **1 Gbit/s RZ zero-bias modulation of extremely low-threshold GaInAsP/InP DFB PHEMTs**  
Ohkura, Y.; Kamimoto, S.;  
Electronics Letters  
Volume 24, Issue 23, 10 Nov. 1988 Page(s):1461 - 1462  
[AbstractPlus](#) | Full Text: [PDF\(148 KB\)](#) IEEE JNL
- ☐ 15. **The direct piezoelectric effect in [001]-sub C/-poled relaxor-ferroelectric single crystals with contrasting longitudinal and transverse modes**  
Davis, M.; Damjanovic, D.; Setter, N.;  
Applications of Ferroelectrics, 2004. ISAF-04. 2004 14th IEEE International Symposium on  
23-27 Aug. 2004 Page(s):102 - 105  
[AbstractPlus](#) | Full Text: [PDF\(531 KB\)](#) IEEE CNF

- ☐ **16. Threshold gain difference requirements for nearly single-longitudinal-mode laser**  
Cartledge, J.C.; Elrefaie, A.F.;  
Global Telecommunications Conference, 1989, and Exhibition. 'Communications Technology 1990s and Beyond'. GLOBECOM '89., IEEE  
27-30 Nov. 1989 Page(s):688 - 691  
[AbstractPlus](#) | Full Text: [PDF\(220 KB\)](#) IEEE CNF
- ☐ **17. Microwave and beam optics design features of a preinjector linac for a synchrotron source**  
Haimson, J.; Mecklenburg, B.;  
Particle Accelerator Conference, 1991. 'Accelerator Science and Technology', Conference of the 1991 IEEE  
6-9 May 1991 Page(s):3183 - 3185 vol.5  
[AbstractPlus](#) | Full Text: [PDF\(288 KB\)](#) IEEE CNF
- ☐ **18. Control of longitudinal instabilities in the LEB**  
Grimm, T.L.; Coleman, P.D.;  
Particle Accelerator Conference, 1993., Proceedings of the 1993  
17-20 May 1993 Page(s):3252 - 3254 vol.5  
[AbstractPlus](#) | Full Text: [PDF\(288 KB\)](#) IEEE CNF
- ☐ **19. A tunneling magnetoresistance sensor overlaid with a longitudinal bias stack in**  
Tsann Lin; Mauri, D.; Ty Chen; Wolfman, J.;  
Magnetism Conference, 2002. INTERMAG Europe 2002. Digest of Technical Papers. 2  
International  
28 April-2 May 2002 Page(s):CA5  
[AbstractPlus](#) | Full Text: [PDF\(230 KB\)](#) IEEE CNF
- ☐ **20. Spin-valves with a hard/Ru/soft synthetic longitudinal bias**  
Zheng, Y.; Yihong Wu;  
Magnetism Conference, 2003. INTERMAG 2003. IEEE International  
28 March-3 April 2003 Page(s):DD - 06  
[AbstractPlus](#) | Full Text: [PDF\(182 KB\)](#) IEEE CNF
- ☐ **21. Extremely low threshold 1.3  $\mu\text{m}$  DFB-PPIBH laser diode applied to 1 Gbit/sec zero modulation**  
Kakimoto, S.; Ohkura, Y.; Takemoto, A.; Yoshida, N.; Namizaki, H.; Susaki, W.; Shibayama;  
Optical Communication, 1988. ECOC 88. Fourteenth European Conference on (Conf. I)  
11-15 Sep 1988 Page(s):337 - 340 vol.1  
[AbstractPlus](#) | Full Text: [PDF\(144 KB\)](#) IEEE CNF
- ☐ **22. Phase correlation between longitudinal modes in semiconductor self-pulsating laser**  
Renaudier, J.; Duan, G.-H.; Provost, J.-G.; Debregeas-Sillard, H.; Gallion, P.;  
Photonics Technology Letters, IEEE  
Volume 17, Issue 4, April 2005 Page(s):741 - 743  
[AbstractPlus](#) | Full Text: [PDF\(176 KB\)](#) IEEE JNL
- ☐ **23. Rigorous analysis and investigations of the scan antennas on a ferroelectric substrate**  
Yashchysyn, Y.; Modelski, J.W.;  
Microwave Theory and Techniques, IEEE Transactions on  
Volume 53, Issue 2, Feb. 2005 Page(s):427 - 438  
[AbstractPlus](#) | Full Text: [PDF\(1880 KB\)](#) IEEE JNL
- ☐ **24. Vertical giant magnetoresistive read heads for 50-Gb/in/sup 2/ magnetic recording**  
Everitt, B.A.; Olson, D.; van Nguyen, T.; Amin, N.; Pokhil, T.; Kolbo, P.; Zhong, L.; Munshi;  
A.V.; Daughton, J.M.;  
Magnetism, IEEE Transactions on

Volume 41, Issue 1, Jan. 2005 Page(s):125 - 131

[AbstractPlus](#) | Full Text: [PDF](#)(688 KB) IEEE JNL



**25. Characterization of exchange coupling at NiFe-CoPt interface**

Pei Zou; Ryan, P.J.; Zhijun Yang; Kryder, M.H.;

Magnetics, IEEE Transactions on


Volume 32, Issue 5, Sept. 1996 Page(s):3428 - 3430

[AbstractPlus](#) | Full Text: [PDF](#)(232 KB) IEEE JNL



View: [1-25](#) | [26-50](#)

Indexed by



[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2005 IEEE –


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "( longitudinal&lt;in&gt;metadata ) &lt;and&gt; ( bias&lt;in&gt;metadata )"

Your search matched **159** of **1164322** documents.☒ e-mailA maximum of **100** results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.[» View Session History](#)[» New Search](#)

Modify Search

[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

View: [1-25](#) | [26-51](#)

- ☐ **26. Comparative study of MR head designs with abutted vs. overlaid permanent mag**  
Shen, Y.; Chen, W.; Jensen, W.; Ravipati, D.; Retort, V.; Rottmayer, R.; Rudy, S.; Tan, Magnetics, IEEE Transactions on  
Volume 32, Issue 1, Jan. 1996 Page(s):19 - 24  
[AbstractPlus](#) | Full Text: [PDF\(560 KB\)](#) IEEE JNL
- ☐ **27. Enhanced wavelength tunability in asymmetric gain-levered quantum-well semic**  
Yee, W.M.; Shore, K.A.;  
Lightwave Technology, Journal of  
Volume 13, Issue 4, April 1995 Page(s):588 - 591  
[AbstractPlus](#) | Full Text: [PDF\(380 KB\)](#) IEEE JNL
- ☐ **28. Optimized operation of self-seeded gain-switched laser diode for electrically wav**  
**singlemode pulses**  
Lee, Y.C.; Shu, C.;  
Photonics Technology Letters, IEEE  
Volume 7, Issue 3, March 1995 Page(s):275 - 277  
[AbstractPlus](#) | Full Text: [PDF\(280 KB\)](#) IEEE JNL
- ☐ **29. Spin-valve sensors with domain control hard magnet layers**  
Kanai, H.; Kane, J.; Aoshima, K.; Kanamine, M.; Uehara, Y.;  
Magnetics, IEEE Transactions on  
Volume 31, Issue 6, Nov. 1995 Page(s):2612 - 2614  
[AbstractPlus](#) | Full Text: [PDF\(464 KB\)](#) IEEE JNL
- ☐ **30. Modeling study of isolated read-back pulses from keepered longitudinal thin film**  
**boundary element method**  
Loven, J.; Guo, Y.; Sin, K.; Judy, J.H.; Jian-Gang Zhu;  
Magnetics, IEEE Transactions on  
Volume 30, Issue 6, Nov 1994 Page(s):4275 - 4277  
[AbstractPlus](#) | Full Text: [PDF\(252 KB\)](#) IEEE JNL
- ☐ **31. Stability and biasing characteristics of a permanent magnet biased SAL/MR devi**  
Liao, S.H.; Tomg, T.; Kobayashi, T.;  
Magnetics, IEEE Transactions on  
Volume 30, Issue 6, Nov 1994 Page(s):3855 - 3857

[AbstractPlus](#) | Full Text: [PDF](#)(196 KB) IEEE JNL

- ☐ **32. Electrical characteristics of a 500 Mb/in<sup>2</sup> slanted contact MR head**  
Fernandez-de-Castro, J.J.; George, P.K.; Machelski, R.J.;  
Magnetics, IEEE Transactions on  
Volume 30, Issue 6, Nov 1994 Page(s):3846 - 3848  
[AbstractPlus](#) | Full Text: [PDF](#)(288 KB) IEEE JNL
- ☐ **33. Coercivity-gradient bi-layered thin-film media for longitudinal recording**  
Lal, B.B.; Shinohara, T.;  
Magnetics, IEEE Transactions on  
Volume 30, Issue 6, Nov 1994 Page(s):3981 - 3983  
[AbstractPlus](#) | Full Text: [PDF](#)(272 KB) IEEE JNL
- ☐ **34. Intrinsic modes of radiation in ferrite patch antennas**  
How, H.; Fang, T.; Vittoria, C.;  
Microwave Theory and Techniques, IEEE Transactions on  
Volume 42, Issue 6, June 1994 Page(s):988 - 994  
[AbstractPlus](#) | Full Text: [PDF](#)(476 KB) IEEE JNL
- ☐ **35. Stress and bias field dependence of initial permeability in amorphous Co<sub>75-x</sub>Fe<sub>x</sub>**  
Allia, P.; Filho, S.P.C.; Knobei, M.; Turtelli, R.S.; Sinnecker, J.P.; Vinai, F.;  
Magnetics, IEEE Transactions on  
Volume 30, Issue 2, Mar 1994 Page(s):480 - 482  
[AbstractPlus](#) | Full Text: [PDF](#)(232 KB) IEEE JNL
- ☐ **36. Allicat magnetoresistive head design and performance**  
Hannon, D.; Krounbi, M.; Christner, J.;  
Magnetics, IEEE Transactions on  
Volume 30, Issue 2, Mar 1994 Page(s):298 - 302  
[AbstractPlus](#) | Full Text: [PDF](#)(268 KB) IEEE JNL
- ☐ **37. Instabilities in multi-strand AC superconducting cables caused by longitudinal r  
with transverse magnetic field**  
Amemiya, N.; Ohizumi, T.; Ikeda, N.; Hlasnik, I.; Tsukamoto, O.;  
Applied Superconductivity, IEEE Transactions on  
Volume 3, Issue 1, Mar 1993 Page(s):160 - 163  
[AbstractPlus](#) | Full Text: [PDF](#)(400 KB) IEEE JNL
- ☐ **38. Microtrack profiling technique for narrow track tape heads**  
Dovek, M.M.; Spong, J.K.; Eaton, J.H.; Thompson, D.A.;  
Magnetics, IEEE Transactions on  
Volume 28, Issue 5, Sep 1992 Page(s):2304 - 2306  
[AbstractPlus](#) | Full Text: [PDF](#)(192 KB) IEEE JNL
- ☐ **39. Optical logic functions using a tunable wavelength conversion laser diode**  
Nobuhara, H.; Kondo, K.; Yamakoshi, S.; Wakao, K.;  
Quantum Electronics, IEEE Journal of  
Volume 28, Issue 7, July 1992 Page(s):1722 - 1726  
[AbstractPlus](#) | Full Text: [PDF](#)(360 KB) IEEE JNL
- ☐ **40. Gap length and sensor height effects on readback signals in shielded magnetore**  
Feng, J.S.;  
Magnetics, IEEE Transactions on  
Volume 28, Issue 2, Mar 1992 Page(s):1031 - 1037  
[AbstractPlus](#) | Full Text: [PDF](#)(644 KB) IEEE JNL

- ☐ **41. Numerical analysis of static wavelength shift for DFB lasers with longitudinal mode burning**  
Yamanaka, T.; Seki, S.; Yokoyama, K.;  
Photonics Technology Letters, IEEE  
Volume 3, Issue 7, July 1991 Page(s):610 - 612  
[AbstractPlus](#) | Full Text: [PDF\(208 KB\)](#) IEEE JNL
  
- ☐ **42. Theoretical analysis of HEMT breakdown dependence on device design parameters**  
Chau, H.-F.; Pavlidis, D.; Tomizawa, K.;  
Electron Devices, IEEE Transactions on  
Volume 38, Issue 2, Feb. 1991 Page(s):213 - 221  
[AbstractPlus](#) | Full Text: [PDF\(868 KB\)](#) IEEE JNL
  
- ☐ **43. Threshold gain difference requirements for nearly single-longitudinal-mode laser**  
Cartledge, J.C.; Elrefaie, A.F.;  
Lightwave Technology, Journal of  
Volume 8, Issue 5, May 1990 Page(s):704 - 715  
[AbstractPlus](#) | Full Text: [PDF\(908 KB\)](#) IEEE JNL
  
- ☐ **44. Effects of RF bias on the texture, magnetism, and recording properties of RF sputtered longitudinal thin film media**  
Lu, M.; Judy, H.J.; Sivertsen, J.M.;  
Magnetism, IEEE Transactions on  
Volume 26, Issue 5, Sep 1990 Page(s):1581 - 1583  
[AbstractPlus](#) | Full Text: [PDF\(284 KB\)](#) IEEE JNL
  
- ☐ **45. Role of atomic mobility in the transition noise of longitudinal media**  
Yogi, T.; Nguyen, T.A.; Lambert, S.E.; Gorman, G.L.; Castillo, G.;  
Magnetism, IEEE Transactions on  
Volume 26, Issue 5, Sep 1990 Page(s):1578 - 1580  
[AbstractPlus](#) | Full Text: [PDF\(316 KB\)](#) IEEE JNL
  
- ☐ **46. DC-magnetron sputtered CoNiTa for high density longitudinal recording**  
Khan, M.R.; Fisher, R.D.; Heiman, N.;  
Magnetism, IEEE Transactions on  
Volume 26, Issue 1, Jan 1990 Page(s):118 - 120  
[AbstractPlus](#) | Full Text: [PDF\(452 KB\)](#) IEEE JNL
  
- ☐ **47. High coercivity of CoCrTa on a very thin Cr underlayer**  
Lin, J.C.; Wu, C.D.; Sivertsen, J.M.;  
Magnetism, IEEE Transactions on  
Volume 26, Issue 1, Jan 1990 Page(s):39 - 41  
[AbstractPlus](#) | Full Text: [PDF\(300 KB\)](#) IEEE JNL
  
- ☐ **48. Injection behavior and modeling of 100 mW broad area diode lasers**  
Abbas, G.L.; Yang, S.; Chan, V.W.S.; Fujimoto, J.G.;  
Quantum Electronics, IEEE Journal of  
Volume 24, Issue 4, April 1988 Page(s):609 - 617  
[AbstractPlus](#) | Full Text: [PDF\(684 KB\)](#) IEEE JNL
  
- ☐ **49. Longitudinal and transverse magnetoelectric voltage coefficients of magnetostri piezoelectric laminate composite: experiments**  
Shuxiang Dong; Jie-Fang Li; Viehland, D.;  
Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transactions on  
Volume 51, Issue 7, July 2004 Page(s):794 - 799  
[AbstractPlus](#) | Full Text: [PDF\(558 KB\)](#) IEEE JNL



- ☐ 50. The role of dipolar interactions in AFC-media  
Berger, A.; Moser, A.; Margulies, D.T.;  
Magnetics, IEEE Transactions on  
Volume 40, Issue 4, July 2004 Page(s):2437 - 2439  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(128 KB) IEEE JNL

View: [1-25](#) | [26-50](#)

Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2005 IEEE –


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "( longitudinal&lt;in&gt;metadata ) &lt;and&gt; ( bias&lt;in&gt;metadata )"

Your search matched 159 of 1164322 documents.

☒ e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

View: [1-25](#) | [26-51](#)

- |                          |   |
|--------------------------|---|
| <input type="checkbox"/> | <b>51. Study of longitudinal stabilization using in-stack biasing</b><br>Ho, M.K.; Ching Tsang; Childress, J.; Fontana, R.; Katine, J.; Carey, K.;<br>Magnetics, IEEE Transactions on<br>Volume 40, Issue 1, Jan. 2004 Page(s):189 - 194<br><a href="#">AbstractPlus</a>   <a href="#">References</a>   Full Text: <a href="#">PDF(640 KB)</a> IEEE JNL   |
| <input type="checkbox"/> | <b>52. Spin transfer induced noise in CPP read heads</b><br>Jian-Gang Zhu; Xiaochun Zhu;<br>Magnetics, IEEE Transactions on<br>Volume 40, Issue 1, Jan. 2004 Page(s):182 - 188<br><a href="#">AbstractPlus</a>   <a href="#">References</a>   Full Text: <a href="#">PDF(464 KB)</a> IEEE JNL   |
| <input type="checkbox"/> | <b>53. Threshold and modal characteristics of composite-resonator vertical-cavity laser</b><br>Grasso, D.M.; Choquette, K.D.;<br>Quantum Electronics, IEEE Journal of<br>Volume 39, Issue 12, Dec. 2003 Page(s):1526 - 1530<br><a href="#">AbstractPlus</a>   <a href="#">References</a>   Full Text: <a href="#">PDF(252 KB)</a> IEEE JNL  |
| <input type="checkbox"/> | <b>54. Performance simulation and design optimization of gain-clamped semiconductor amplifiers based on distributed Bragg reflectors</b><br>Jongwoon Park; Xun Li; Wei-Ping Huang;<br>Quantum Electronics, IEEE Journal of<br>Volume 39, Issue 11, Nov. 2003 Page(s):1415 - 1423<br><a href="#">AbstractPlus</a>   <a href="#">References</a>   Full Text: <a href="#">PDF(539 KB)</a> IEEE JNL |
| <input type="checkbox"/> | <b>55. Anomalous linewidth narrowing in microwave beat frequency spectra between a longitudinal modes in semiconductor lasers</b><br>DeChiaro, L.F.; Chemelli, R.G.;<br>Quantum Electronics, IEEE Journal of<br>Volume 39, Issue 11, Nov. 2003 Page(s):1372 - 1380<br><a href="#">AbstractPlus</a>   <a href="#">References</a>   Full Text: <a href="#">PDF(1045 KB)</a> IEEE JNL              |
| <input type="checkbox"/> | <b>56. Spin-valve and tunnel-valve structures with in situ in-stack bias</b><br>Childress, J.R.; Ho, M.K.; Fontana, R.E.; Carey, M.J.; Rice, P.M.; Gurney, B.A.; Tsang.<br>Magnetics, IEEE Transactions on<br>Volume 38, Issue 5, Sept. 2002 Page(s):2286 - 2288  |

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(211 KB\)](#) IEEE JNL

- ☐ **57. Fabrication and characterization of contiguous permanent magnet junctions**  
Min Xiao; Devasahayam, A.J.; Kryder, M.H.;  
Magnetics, IEEE Transactions on  
Volume 34, Issue 4, July 1998 Page(s):1495 - 1497  
[AbstractPlus](#) | Full Text: [PDF\(480 KB\)](#) IEEE JNL
  
- ☐ **58. CoCrTa intermediate layers on NiAl underlayers for CoCrPt longitudinal thin film**  
Jie Zou; Laughlin, D.E.; Lambeth, D.N.;  
Magnetics, IEEE Transactions on  
Volume 34, Issue 4, July 1998 Page(s):1582 - 1584  
[AbstractPlus](#) | Full Text: [PDF\(352 KB\)](#) IEEE JNL
  
- ☐ **59. Multi-tapped magnetoresistive heads for magnetic tape tracking servo**  
Steele, J.H., II; Messner, W.C.; Bain, J.A.; Schwarz, T.A.; O'Kane, W.J.; Connolly, M.P.  
Magnetics, IEEE Transactions on  
Volume 34, Issue 4, July 1998 Page(s):1904 - 1906  
[AbstractPlus](#) | Full Text: [PDF\(348 KB\)](#) IEEE JNL
  
- ☐ **60. An Er-doped bidirectional ring fiber laser with 90° Faraday rotator as phase nonreciprocal element**  
Kiyari, R.; Byoung Yoon Kim;  
Photonics Technology Letters, IEEE  
Volume 10, Issue 3, March 1998 Page(s):340 - 342  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(76 KB\)](#) IEEE JNL
  
- ☐ **61. Read-back nonlinearity in longitudinal kept recording**  
Wilson, B.A.; Wang, S.X.; Coughlin, T.M.;  
Magnetics, IEEE Transactions on  
Volume 34, Issue 1, Jan. 1998 Page(s):51 - 56  
[AbstractPlus](#) | Full Text: [PDF\(704 KB\)](#) IEEE JNL
  
- ☐ **62. Computer simulation of MR response to transverse magnetic fields**  
Fujimoto, K.; Totsuka, K.; Uesaka, Y.; Saitoh, I.; Fukui, H.; Akagi, F.; Yoshihara, I.; Nakayama, N.;  
Magnetics, IEEE Transactions on  
Volume 33, Issue 3, May 1997 Page(s):2386 - 2391  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(196 KB\)](#) IEEE JNL
  
- ☐ **63. Measurement and modeling of distributed-feedback lasers with spatial hole burning**  
Fang, W.; Hsu, A.; Chuang, S.L.; Tanbun-Ek, T.; Sergent, A.M.;  
Selected Topics in Quantum Electronics, IEEE Journal of  
Volume 3, Issue 2, April 1997 Page(s):547 - 554  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(236 KB\)](#) IEEE JNL
  
- ☐ **64. In-plane anisotropy in thin-film media analyzed by grazing incidence X-ray diffraction [CoCrTaPt/Cr]**  
Hirose, T.; Teranishi, H.; Ohsawa, M.; Ueda, A.; Ishiwata, O.; Ataka, T.; Ozawa, K.; Koike, T.;  
Magnetics, IEEE Transactions on  
Volume 33, Issue 5, Sept. 1997 Page(s):2971 - 2973  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(408 KB\)](#) IEEE JNL
  
- ☐ **65. Dynamic spectra of 1.3-μm InGaAsP lasers under pseudorandom word modulation**  
Tek-Ming Shen;  
Lightwave Technology, Journal of  
Volume 3, Issue 2, Apr 1985 Page(s):277 - 282

[AbstractPlus](#) | Full Text: [PDF\(776 KB\)](#) IEEE JNL

- ☐ **66. Long wavelength AC bias recording theory**  
Bertram, H.;  
Magnetics, IEEE Transactions on  
Volume 10, Issue 4, Dec 1974 Page(s):1039 - 1048  
[AbstractPlus](#) | Full Text: [PDF\(1072 KB\)](#) IEEE JNL
- ☐ **67. Write-separation loss and phase functions in AC-bias recording**  
Haynes, M.;  
Magnetics, IEEE Transactions on  
Volume 12, Issue 6, Nov 1976 Page(s):761 - 763  
[AbstractPlus](#) | Full Text: [PDF\(264 KB\)](#) IEEE JNL
- ☐ **68. Fabrication and wafer testing of barber-pole and exchange-biased narrow-track I**  
Tsang, C.; Fontana, R., Jr.;  
Magnetics, IEEE Transactions on  
Volume 18, Issue 6, Nov 1982 Page(s):1149 - 1151  
[AbstractPlus](#) | Full Text: [PDF\(432 KB\)](#) IEEE JNL
- ☐ **69. Discussions on suitable modulation schemes for a bi-directional hot electron lig**  
**absorber**  
Wah, J.-Y.; Yenidunva, R.; Boland-Thoms, A.; Demirer, R.M.; Balkan, N.;  
Optoelectronics, IEE Proceedings-  
Volume 149, Issue 56, Oct.-Dec. 2002 Page(s):197 - 200  
[AbstractPlus](#) | Full Text: [PDF\(324 KB\)](#) IEE JNL
- ☐ **70. Mode characteristics in a circular chiral ferrite dielectric waveguide**  
Zhou, H.; Zhang, K.;  
Microwaves, Antennas and Propagation, IEE Proceedings -  
Volume 149, Issue 1, Feb. 2002 Page(s):28 - 32  
[AbstractPlus](#) | Full Text: [PDF\(475 KB\)](#) IEE JNL
- ☐ **71. Radiation frequencies of ferrite patch antennas**  
How, H.; Rainville, P.; Harackiewicz, F.; Vittoria, C.;  
Electronics Letters  
Volume 28, Issue 15, 16 July 1992 Page(s):1405 - 1406  
[AbstractPlus](#) | Full Text: [PDF\(172 KB\)](#) IEE JNL
- ☐ **72. Eye closure due to spatial hole-burning dynamics in  $\lambda/4$ -shifted DFB lasers**  
Lowery, A.J.;  
Electronics Letters  
Volume 28, Issue 16, 30 July 1992 Page(s):1548 - 1550  
[AbstractPlus](#) | Full Text: [PDF\(256 KB\)](#) IEE JNL
- ☐ **73. Mode locking of a semiconductor laser by self-synchronising optoelectronic feed**  
**longitudinal mode beats**  
Nietzke, R.; Sacher, J.; Elsasser, W.; Gobel, E.O.;  
Electronics Letters  
Volume 26, Issue 14, 5 July 1990 Page(s):1016 - 1018  
[AbstractPlus](#) | Full Text: [PDF\(244 KB\)](#) IEE JNL
- ☐ **74. Bandwidth-limited, single longitudinal mode ps optical pulse generation from a s**  
**modulated distributed feedback GainAsP diode laser at 1.54  $\mu\text{m}$**   
Zhang, N.; Ito, H.; Inaba, H.;  
Electronics Letters  
Volume 24, Issue 7, 31 March 1988 Page(s):369 - 370

[AbstractPlus](#) | Full Text: [PDF](#)(212 KB) IEE JNL

- ☐ 75. **Perpendicular biased ferrite tuned RF cavity for the TRIUMF kaon factory booster**  
Poirier, R.L.; Enegren, T.; Haddock, C.;  
Particle Accelerator Conference, 1989. 'Accelerator Science and Technology', Proceedings  
IEEE

20-23 March 1989 Page(s):171 - 173 vol.1

[AbstractPlus](#) | Full Text: [PDF](#)(188 KB) IEEE CNF

View: [1-25](#) | [26-51](#)

Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2005 IEEE -


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

**Search Results****BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "( longitudinal&lt;in&gt;metadata ) &lt;and&gt; ( bias&lt;in&gt;metadata ) &lt;and&gt; ( magnetoresi..."

☒ e-mailYour search matched **30** of **1164322** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.[» View Session History](#)[» New Search](#)**Modify Search** **» Key**

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract**Select Article Information**

- |                          |  |
|--------------------------|--|
| <input type="checkbox"/> | <b>1. Submicron trackwidth and stripe height MR sensor test structures</b><br>Fontana, R.E., Jr.; MacDonald, S.A.; Ching Tsang; Tsann Lin;<br>Magnetism, IEEE Transactions on<br>Volume 32, Issue 5, Sept. 1996 Page(s):3440 - 3442<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(788 KB)</a> IEEE JNL  |
| <input type="checkbox"/> | <b>2. Comparative experimental study of exchange biased symmetric and antisymmetric magnetoresistive read elements</b><br>Trindade, I.G.; Kryder, M.H.;<br>Magnetism, IEEE Transactions on<br>Volume 30, Issue 6, Nov 1994 Page(s):3852 - 3854<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(292 KB)</a> IEEE JNL   |
| <input type="checkbox"/> | <b>3. A new technique of noise reduction for large aspect magnetoresistors</b><br>Flynn, D.I.;<br>Magnetism, IEEE Transactions on<br>Volume 30, Issue 3, May 1994 Page(s):1263 - 1266<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(276 KB)</a> IEEE JNL  |
| <input type="checkbox"/> | <b>4. Magnetoresistive sensors with rapidly solidified Permalloy fibers</b><br>Ciureanu, P.; Rudkowska, G.; Rudkowska, P.; Strom-Olsen, J.O.;<br>Magnetism, IEEE Transactions on<br>Volume 29, Issue 5, Sept. 1993 Page(s):2251 - 2257<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(656 KB)</a> IEEE JNL   |
| <input type="checkbox"/> | <b>5. Side-shielded tunneling magnetoresistive read head for high-density recording</b><br>Haginoya, C.; Hatatani, M.; Meguro, K.; Ishikawa, C.; Yoshida, N.; Kusakawa, K.; Watanabe, T.;<br>Magnetism, IEEE Transactions on<br>Volume 40, Issue 4, July 2004 Page(s):2221 - 2223<br><a href="#">AbstractPlus</a>   <a href="#">References</a>   Full Text: <a href="#">PDF(160 KB)</a> IEEE JNL |
| <input type="checkbox"/> | <b>6. Vertical giant magnetoresistive read heads for 50-Gb/in/sup 2/ magnetic recording</b><br>Everitt, B.A.; Olson, D.; van Nguyen, T.; Amin, N.; Pokhil, T.; Kolbo, P.; Zhong, L.; Murnaghan, A.V.; Daughton, J.M.;<br>Magnetism, IEEE Transactions on<br>Volume 41, Issue 1, Jan. 2005 Page(s):125 - 131  |

[AbstractPlus](#) | Full Text: [PDF\(688 KB\)](#) IEEE JNL

- ☐ 7. **Characterization of exchange coupling at NiFe-CoPt interface**  
Pei Zou; Ryan, P.J.; Zhijun Yang; Kryder, M.H.;  
Magnetics, IEEE Transactions on  
Volume 32, Issue 5, Sept. 1996 Page(s):3428 - 3430  
[AbstractPlus](#) | Full Text: [PDF\(232 KB\)](#) IEEE JNL
- ☐ 8. **Electrical characteristics of a 500 Mb/in<sup>2</sup> slanted contact MR head**  
Fernandez-de-Castro, J.J.; George, P.K.; Macheliski, R.J.;  
Magnetics, IEEE Transactions on  
Volume 30, Issue 6, Nov 1994 Page(s):3846 - 3848  
[AbstractPlus](#) | Full Text: [PDF\(288 KB\)](#) IEEE JNL
- ☐ 9. **Allicat magnetoresistive head design and performance**  
Hannon, D.; Krounbi, M.; Christner, J.;  
Magnetics, IEEE Transactions on  
Volume 30, Issue 2, Mar 1994 Page(s):298 - 302  
[AbstractPlus](#) | Full Text: [PDF\(268 KB\)](#) IEEE JNL
- ☐ 10. **Microtrack profiling technique for narrow track tape heads**  
Dovek, M.M.; Spong, J.K.; Eaton, J.H.; Thompson, D.A.;  
Magnetics, IEEE Transactions on  
Volume 28, Issue 5, Sep 1992 Page(s):2304 - 2306  
[AbstractPlus](#) | Full Text: [PDF\(192 KB\)](#) IEEE JNL
- ☐ 11. **Gap length and sensor height effects on readback signals in shielded magnetore**  
Feng, J.S.;  
Magnetics, IEEE Transactions on  
Volume 28, Issue 2, Mar 1992 Page(s):1031 - 1037  
[AbstractPlus](#) | Full Text: [PDF\(644 KB\)](#) IEEE JNL
- ☐ 12. **Unshielded MR elements with patterned exchange-biasing**  
Tsang, C.;  
Magnetics, IEEE Transactions on  
Volume 25, Issue 5, Sep 1989 Page(s):3692 - 3694  
[AbstractPlus](#) | Full Text: [PDF\(292 KB\)](#) IEEE JNL
- ☐ 13. **Spin-valve and tunnel-valve structures with in situ in-stack bias**  
Childress, J.R.; Ho, M.K.; Fontana, R.E.; Carey, M.J.; Rice, P.M.; Gurney, B.A.; Tsang.  
Magnetics, IEEE Transactions on  
Volume 38, Issue 5, Sept. 2002 Page(s):2286 - 2288  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(211 KB\)](#) IEEE JNL
- ☐ 14. **Multi-tapped magnetoresistive heads for magnetic tape tracking servo**  
Steele, J.H., II; Messner, W.C.; Bain, J.A.; Schwarz, T.A.; O'Kane, W.J.; Connolly, M.P  
Magnetics, IEEE Transactions on  
Volume 34, Issue 4, July 1998 Page(s):1904 - 1906  
[AbstractPlus](#) | Full Text: [PDF\(348 KB\)](#) IEEE JNL
- ☐ 15. **Computer simulation of MR response to transverse magnetic fields**  
Fujimoto, K.; Totsuka, K.; Uesaka, Y.; Saitoh, I.; Fukui, H.; Akagi, F.; Yoshihara, I.; Na  
Hayashi, N.;  
Magnetics, IEEE Transactions on  
Volume 33, Issue 3, May 1997 Page(s):2386 - 2391  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(196 KB\)](#) IEEE JNL

- ☐ **16. Comparative study of MR head designs with abutted vs. overlaid permanent mag**  
Shen, Y.; Chen, W.; Jensen, W.; Ravipati, D.; Retort, V.; Rottmayer, R.; Rudy, S.; Tan,  
Magnetics, IEEE Transactions on  
Volume 32, Issue 1, Jan. 1996 Page(s):19 - 24  
[AbstractPlus](#) | Full Text: [PDF\(560 KB\)](#) IEEE JNL
  
- ☐ **17. Micromagnetic analysis of permanent magnet biased narrow track spin-valve he**  
Danzhu Lu; Jian-Gang Zhu;  
Magnetics, IEEE Transactions on  
Volume 31, Issue 6, Nov. 1995 Page(s):2615 - 2617  
[AbstractPlus](#) | Full Text: [PDF\(272 KB\)](#) IEEE JNL
  
- ☐ **18. Spin-valve sensors with domain control hard magnet layers**  
Kanai, H.; Kane, J.; Aoshima, K.; Kanamine, M.; Uehara, Y.;  
Magnetics, IEEE Transactions on  
Volume 31, Issue 6, Nov. 1995 Page(s):2612 - 2614  
[AbstractPlus](#) | Full Text: [PDF\(464 KB\)](#) IEEE JNL
  
- ☐ **19. Modeling and measurement of hard-magnet biasing strengths on MR-SAL struct**  
Yuan, S.W.; Liao, S.H.; Kobayashi, T.;  
Magnetics, IEEE Transactions on  
Volume 30, Issue 6, Nov 1994 Page(s):4257 - 4259  
[AbstractPlus](#) | Full Text: [PDF\(236 KB\)](#) IEEE JNL
  
- ☐ **20. Stability and biasing characteristics of a permanent magnet biased SAL/MR devi**  
Liao, S.H.; Torng, T.; Kobayashi, T.;  
Magnetics, IEEE Transactions on  
Volume 30, Issue 6, Nov 1994 Page(s):3855 - 3857  
[AbstractPlus](#) | Full Text: [PDF\(196 KB\)](#) IEEE JNL
  
- ☐ **21. A new high density magnetoresistive tape head**  
Edelman, H.; Brock, G.W.; Carr, T.; Freeman, J.; Smith, N.;  
Magnetics, IEEE Transactions on  
Volume 26, Issue 6, Nov. 1990 Page(s):3004 - 3009  
[AbstractPlus](#) | Full Text: [PDF\(448 KB\)](#) IEEE JNL
  
- ☐ **22. Improved bias and stability in dual-exchange-biased unshielded magnetoresistiv**  
Cain, W.C.; Kryder, M.H.;  
Magnetics, IEEE Transactions on  
Volume 26, Issue 5, Sep 1990 Page(s):2412 - 2414  
[AbstractPlus](#) | Full Text: [PDF\(228 KB\)](#) IEEE JNL
  
- ☐ **23. Dual exchange biased NiFe-TbCo unshielded MR heads for high density recordir**  
Cain, W.C.; Markham, D.C.; Kryder, M.H.;  
Magnetics, IEEE Transactions on  
Volume 25, Issue 5, Sep 1989 Page(s):3695 - 3697  
[AbstractPlus](#) | Full Text: [PDF\(252 KB\)](#) IEEE JNL
  
- ☐ **24. Exchange anisotropy for providing dual bias in magnetoresistive heads**  
Cain, W.C.; Kryder, M.H.;  
Magnetics, IEEE Transactions on  
Volume 25, Issue 3, May 1989 Page(s):2787 - 2788  
[AbstractPlus](#) | Full Text: [PDF\(164 KB\)](#) IEEE JNL
  
- ☐ **25. Interaction between magnetoresistor and magnetotransistor in the longitudinal a**  
**vertical Hall devices**



Guo-Ming Sung;  
Sensors Journal, IEEE  
Volume 4, Issue 6, Dec. 2004 Page(s):749 - 758  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1824 KB) IEEE JNL



Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy & S](#)  
© Copyright 2005 IEEE –


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "( longitudinal&lt;in&gt;metadata ) &lt;and&gt; ( bias&lt;in&gt;metadata ) &lt;and&gt; ( magnetoresi..."

☐ e-mail

Your search matched 30 of 1164322 documents.

A maximum of 30 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

## Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## Select Article Information

- ☐ **26. Limitations to track following imposed by position error signal SNR using a mult magnetoresistive servo head**  
Bain, J.A.; Messner, W.C.; Steele, J.H., II; Schwarz, T.A.; O'Kane, W.J.; Connolly, M.P  
Magnetics, IEEE Transactions on  
Volume 35, Issue 2, March 1999 Page(s):740 - 745  
[AbstractPlus](#) | Full Text: [PDF\(540 KB\)](#) IEEE JNL
- ☐ **27. Magnetic domain instability in MR heads due to overlaid structure of permanent**  
Mitsumata, C.; Kikuchi, K.; Kobayashi, T.;  
Magnetics, IEEE Transactions on  
Volume 34, Issue 4, July 1998 Page(s):1453 - 1455  
[AbstractPlus](#) | Full Text: [PDF\(316 KB\)](#) IEEE JNL
- ☐ **28. Fabrication and characterization of contiguous permanent magnet junctions**  
Min Xiao; Devasahayam, A.J.; Kryder, M.H.;  
Magnetics, IEEE Transactions on  
Volume 34, Issue 4, July 1998 Page(s):1495 - 1497  
[AbstractPlus](#) | Full Text: [PDF\(480 KB\)](#) IEEE JNL
- ☐ **29. Fabrication and wafer testing of barber-pole and exchange-biased narrow-track I**  
Tsang, C.; Fontana, R., Jr.;  
Magnetics, IEEE Transactions on  
Volume 18, Issue 6, Nov 1982 Page(s):1149 - 1151  
[AbstractPlus](#) | Full Text: [PDF\(432 KB\)](#) IEEE JNL
- ☐ **30. Flux-guide type tunnel-valve head for helical scan tape system**  
Nakashio, E.; Sugawara, J.; Onoe, S.; Kumagai, S.;  
Magnetics Conference, 2002. INTERMAG Europe 2002. Digest of Technical Papers. 2  
International  
28 April-2 May 2002 Page(s):AP17  
[AbstractPlus](#) | Full Text: [PDF\(229 KB\)](#) IEEE CNF

[Help](#) [Contact Us](#) [Privacy & ©](#)

